

One-Piece & Kit Pools



247-260
One-Piece
& Kit
Pools

Niveko One-Piece Pools

The Niveko product range of One-Piece Pools can provide a solution to satisfy the most discerning requirements of most people. The range is as broad as it is long - just like the pools - with styles that can include skimmers / overflow / vanishing edge to name just a few.

All pools are available with the option of a slatted type automatic cover to help minimise heat loss and associated running costs. Incorporating an In roller motor, it can be operated with a key switch or remote control.

They are also pre-plumbed to make the installation as easy as possible and all pools incorporate 30mm of insulation. We can't list every configuration available in the price list, but here are a few to whet your appetite;

A large number of options are available. Please contact us on 01993 778855 or email info@certikin.co.uk




Photograph used with kind permission of Unipools



Photograph used with kind permission of IED Installations Ltd

Niveko One-Piece Pools - Skimmer Pools



All Pools include
2 x low level main drains
2 x U/W lights
1 x Vac point
3 x Inlets

Niveko Skimmer - Top Level

The Classic domestic style pool is available with one or two skimmers and a wide choice of shell colours and sizes. There is the option of rounded or rectangular corners as well as a choice of several step entrances built into the pool to suit most customer requirements and taste.

Basic Pools Shell - No Coping

		Price
H	6m x 3m (20' x 10' approx) Inc 1 x skimmer	£10,405.00
H	7m x 3.7m (24' x 12' approx) Inc 1 x skimmer	£11,908.00
H	8m x 3.7m (26' x 12' approx) Inc 2 x skimmer	£13,212.00
H	8.5m x 3.7m (28' x 12' approx) Inc 2 x skimmer	£13,817.00
H	9m x 3.7m (30' x 12' approx) Inc 2 x skimmer	£14,131.00
H	10m x 3.7m (32' x 12' approx) Inc 2 x skimmer	£15,050.00

Constant depth of 1.5m.

A large number of options are available. Please contact us on 01993 778855 or email info@certikin.co.uk

Delivery to the UK mainland is approximately £4750.00 - Call us for a quotation.

Photograph used with kind permission of IED Installations Ltd




Niveko Overflow One-Piece Pools



Niveko Overflow - Multi
 As it says in the title - this is the Overflow option available in any size, with the option of an internal or external step system. The Overflow can be finished with a PVC grille or with a more natural looking stone grille in a choice of colours.


Niveko One-Piece Pools



Pool Width



Modern Corner Steps



Internal Corner



Bench



Pit / Cave

Step Options	Add to the pool price		
	Pool Width	Corner Round	Modern Corner
H 6m x 3m (20' x 10' approx)	£2302.00	£1706.00	£1887.00
H 7m x 3.7m (24' x 12' approx)	£2839.00	£1706.00	£1887.00
H 8m x 3.7m (26' x 12' approx)	£2839.00	£1706.00	£1887.00
H 8.5m x 3.7m (28' x 12' approx)	£2839.00	£1706.00	£1887.00
H 9m x 3.7m (30' x 12' approx)	£2839.00	£1706.00	£1877.00
H 10m x 3.7m (32' x 12' approx)	£2839.00	£1706.00	£1877.00

A large number of options are available. Please contact us on 01993 778855 or email info@certikin.co.uk



Slatted Cover Options - White PVC	Add to the pool price	
	Pit/Cave	Bench
H 6m x 3m (20' x 10' approx)	£13,772.00	£10,312.00
H 7m x 3.7m (24' x 12' approx)	£15,454.00	£11,186.00
H 8m x 3.7m (26' x 12' approx)	£16,122.00	£11,855.00
H 8.5m x 3.7m (28' x 12' approx)	£16,251.00	£11,984.00
H 9m x 3.7m (30' x 12' approx)	£16,379.00	£12,111.00
H 10m x 3.7m (32' x 12' approx)	£16,635.00	£12,368.00

Level deck overflow and vanishing edge options are available. Call us on 01993 778855 or email info@certikin.co.uk for more information.

Warranty of NIVEKO pools.
10 year no-leak warranty on the pool shell and pipework and a 2 year warranty on plant equipment.

Knightsbridge One Piece Tiled Pools



Knightsbridge Specifications

- Manufactured in Great Britain
- Over 30 models available from the Knightsbridge range
- Skimmer, deck level and cascading pools available
- Prefabricated fibreglass shell with Part L compliant foam insulation
- Stainless steel perimeter reinforcement for super-robust, lifetime structure
- Fully mosaic tiled in any 20-100mm tile finish
- Fully plumbed and air / water tested with certification prior to dispatch
- LED white or colour changing lights
- All fittings to be chromed or stainless steel
- Configuration extras such as jets, counter current, waterfalls plus more
- Optional upgrades for steps, ladders, handrails
- Many automatic slatted pool cover designs available
- Any mosaic tiled Vitality Spas can be integrated to the pool. See Spas tab in the catalogue

Supplied With

- 2 No. Skimmers
- 2 No. Large low-level suction
- 2 No. Return Inlets
- 1 No. Vacuum Point
- 1 No. Auto Water Leveller
- 2 No. LED Lights

Warranty

- 15 Years shell integrity
- 2 Years mosaic tiling
- 1 Year Shell fittings




Items that are made to measure, bespoke are non-returnable items.


Knightsbridge Specifications

Why choose Prefabricated Over Concrete?


- Fully manufactured off site in strict factory conditions which ensures sustained quality from start to finish
- Fully Part L compliant prior to arriving onsite
- All fittings accessible after install removing ground movement issues with penetration fittings and pipework
- Millimetre perfect mosaic tiling installed in strict, controlled factory conditions
- Versatility in manufacture allowing opportunities for clients to stand in their pool prior to tiling and or plumbing
- Air / water tested prior to dispatch ensuring an unquestionable watertight construction
- Installation of pool shell complete in one day removing the pool from critical construction path




Option A - Pool with steps




Option B - Pool with steps and Roldeck cover




Option C - Pool with steps & Vitality spa



Option D - Pool with steps, Vitality Spa & Roldeck Cover



Option E - Pool with Vitality seat & Steps



Option F - Pool with Vitality Seat, Steps & Roldeck Cover

Vycon Block & Liner Pool Kits

The ever popular Vycon pool Kit now comes with a pre-packaged and more comprehensive plumbing kit and chemical kit.

Separate brochures are available.

Please telephone Sales on
01993 778855



Vycon Price Guide - Block & Liner

		VYCONS				VYCONL		
		20' x 10' (3'4" depth)	24' x 12' (3'4" - 5'3")	28' x 14' (3'4" - 6')	30' x 14' (3'4" - 6')	32' x 16' (3'4" - 6'9")	38' x 16' (3'4" - 7'6")	40' x 20' (3'4" - 7'6")
Plumbing Kit	3807V	DVD Vycon installation guide	1	1	1	1	1	1
	3560	Guide to Vycon liner pool construction	1	1	1	1	1	1
	3564	Guide to pool maintenance	1	1	1	1	1	1
	LKTM	3m length of top mount linerlock	9	9	9	13	13	13
	3862	Box of masonry nails	1	1	1	1	1	1
	PG3861	Linerlock corners	4	4	4	4	4	4
	HD1001SLS	Collar skimmer + liner wide angle throat	1	1	1	2	2	2
	HD33LT	6" Liner main drain	2	2	2	2	2	2
	ZHD53LT	Plumbed liner eyeball inlet	2	2	2	2	2	2

CP15	1.5" Class C pipe - per metre	45	45	45	45	30	30	30
CP2	2" Class C pipe - per metre					45	45	45
AB3	250ml ABS cement C/W brush	2	2	2	2	3	3	3
C0015C	1.5" Double union ball valve	2	2	2	2			
C0020C	2" Double union ball valve					2	2	2
CP1545/10	Pack of 1.5" 45 degree elbows	1	1	1	1			
CP1590/10	1.5" 90 degree elbows 10 pack	2	2	2	2	1	1	1
CP15ET/5	Pack of 1.5" equal tees	1	1	1	1			
CP15HN/10	Pack of 1.5" hex nipples	1	1	1	1			
CP15PS/10	Pack of 1.5" plain sockets	2	2	2	2	1	1	1
CP15SU/5	Pack of 1.5" socket unions	1	1	1	1			
CP15TU/5	Pack of 1.5" MT-FP unions	1	1	1	1	1	1	1
CP21R/10	Pack of 2"-1.5" plain reducers					1	1	1
CP245/10	Pack of 2" 45 degree elbows					1	1	1
CP290/10	Pack of 2" 90 degree elbows					2	2	2
CP2ET/10	Pack of 2" equal tees					1	1	1
CP2HN/10	Pack of 2" hex nipples					1	1	1
CP2PS/10	Pack of 2" sockets					2	2	2
CP2SU/5	Pack of 2" socket unions					1	1	1
DC078C	Clear Dow corning 78gms	1	1	1	1	1	1	1
GPA600	Cleaner 500ml	1	1	1	1	1	1	1
PT1	Roll PTFE tape	2	2	2	2	2	2	2
4705	Pool & spa pipe label	1	1	1	1	1	1	1
Retail Price: (Discount B)		£1132.17	£1132.17	£1132.17	£1132.17	£1985.94	£1985.94	£1985.94

Liner	-	30 thou patterned liner	1	1	1	1	1	1
	Retail Price: (Discount N)		£1074.88	£1547.83	£2106.77	£2257.26	£2751.70	£3267.65

Filtration Kit	ZZFVS20T/P	20" Vision top mount sand filter with valve and sand + Aquaspeed 0.75HP 1 phase pump 10m3/hr	1	1	1			
	ZZFVS28T/P	24" Vision top mount sand filter with valve and sand + Aquaspeed 1.5HP 1 phase pump 13.5m3/hr				1	1	1
	Retail Price: (Discount J)		£930.00	£930.00	£930.00	£930.00	£1185.00	£1185.00

		ZVK02S				ZVK02L			
Maintenance Kit	CCMG84	8-16' (2.4-4.8m) telescopic handle	1	1	1	1	1	1	
	CCMG69	10" scoop thermometer	1	1	1	1	1	1	
	CX9N	9m vac hose	1	1	1				
	CX12N	12m vac hose				1	1	1	
	HD103	Kornea vacuum plate	1	1	1	1	1	1	
	CCMG51	18" (450mm) pool brush	1	1	1	1	1	1	
	CCMG117	Deep leaf net	1	1	1	1	1	1	
	CCMG130	Liner vacuum head	1	1	1	1	1	1	
	CK3BL	1.5" 3 tread ladder with plastic treads	1	1	1	1	1	1	
	SFAGSK/4	Swimfresh chemical starter kit	1	1	1	1	1	1	
	Retail Price: (Discount B)		£587.80	£587.80	£587.80	£587.80	£595.90	£595.90	£595.90

Complete Basic Kit Price:	£3724.85	£4197.80	£4756.74	£4907.23	£6518.54	£7034.49	£8066.37
----------------------------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------

All Prices Subject To An Extra 10% Discount When Ordered As A 'Complete Kit'

Special Basic Kit Price After 10% Discount:	£3352.37	£3778.02	£4281.07	£4416.51	£5866.89	£6331.04	£7259.73
----------------------------------------------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------

All items must be purchased on one order and delivered to the same address.

Discount is applicable to the net invoiced value.

All other terms and conditions apply.

Vycon - Optional Extras

All Prices Subject To An Extra 10% Discount When Ordered As A 'Complete Kit'

All items must be purchased on one order and delivered to the same address.

All other terms and conditions apply.

The Outdoor Heat Pump is sized on UK conditions

- The entire pool is constructed in-ground
- Ground water level is below pool construction
- Floating heat retention cover is used 20 hours per day
- Average depth of water @ 1.3metres
- Season = May to September
- Water temperature @ 28°C



	Pool size: 20' x 10'		Pool size: 24' x 12'		Pool size: 28' x 14'	
U/W light PU6 300W (each)	B	PU61011L £510.00	B	PU61011L £510.00	B	PU61011L £510.00
Auto water leveller	A	HD108 £143.00	A	HD108 £143.00	A	HD108 £143.00
Additional inlet for AWL (Vycon)	A	HD54LT £17.70	A	HD54LT £17.70	A	HD54LT £17.70
Genie Gas Boiler (flue not included) - see page 158	E	MB35S £3096.00	E	MB35S £3096.00	E	MB35S £3096.00
Certikin oil boiler (flue not included) - see page 162	X	COH110 £3399.00	X	COH110 £3399.00	X	COH110 £3399.00
Outdoor heat pump	V	PPT8ALX £2750.00	V	PPT8ALX £2750.00	V	PPT12ALX £3195.00
Autopilot Nano	Q	APNANO £998.00	Q	APNANO £998.00	Q	APNANO £998.00

	Pool size: 30' x 14'		Pool size: 32' x 16'		Pool size: 38' x 16'	
U/W light PU6 300W (each)	B	PU61011L £510.00	B	PU61011L £510.00	B	PU61011L £510.00
Auto water leveller	A	HD108 £143.00	A	HD108 £143.00	A	HD108 £143.00
Additional inlet for AWL (Vycon)	A	HD54LT £17.70	A	HD54LT £17.70	A	HD54LT £17.70
Genie Gas Boiler (flue not included) - see page 158	E	MB35S £3096.00	E	MB50S £3788.00	E	MB50S £3788.00
Certikin oil boiler (flue not included) - see page 162	X	COH180 £4095.00	X	COH180 £4095.00	X	COH180 £4095.00
Outdoor heat pump	V	PPT12ALX £3195.00	F	PTT12ALX £3950.00	F	PPT16ALX £3950.00
Autopilot Nano / Nano Plus (38' x 16')	Q	APNANO £998.00	Q	APNANO £998.00	Q	APNANOPLUS £1115.00

	Pool size: 40' x 20'	
U/W light PU6 300W (each)	B	PU61011L £510.00
Auto water leveller	A	HD108 £143.00
Additional inlet for AWL (Vycon)	A	HD54LT £17.70
Genie Gas Boiler (flue not included) - see page 158	E	MB50S £3788.00
Certikin oil boiler (flue not included) - see page 162	X	COH220 £4444.00
Outdoor heat pump	F	PPT22ALX £4650.00
Autopilot Nano Plus	Q	APNANOPLUS £1115.00

For further options and upgrades to your Certikin Pool Kit please see below:

- Roman end step unit **Page 103**
- Counter current machines **Page 128-139**
- Automatic cleaners **Page 120-125**
- Solar covers **Page 194-198**
- Rollers **Page 202-209**
- Winter debris covers **Page 212-213**
- Automatic pool covers **Page 221-228**
- Coping stones **Page 106-109**



Insulation Products

To satisfy 2010 edition of Part L of the Building Regulations Certikin has added XPOOL very high compressive strength, closed cell, 100% recyclable extruded polystyrene (XPS) insulation boards to its range.

XPOOL boards have excellent life-long thermal performance and very low water absorption, allowing them to be installed below the concrete slab or behind retaining walls without the need for a damp proof membrane (DPM).

The manufacturer recommends allowing 10% extra material for wastage.

Key features:

- Very high compressive strength able to withstand long-term static loads
- Excellent life long thermal performance
- Reduces heating bills and keeps the pool warmer for longer
- Very low water absorption (<0.7% after 28 days)
- Environmentally friendly - 100% recyclable
- Code for Sustainable Homes compliant option


HEXATHERM XPOOL Insulation Products

		Price
Q	XP050E 50mm thickness - 600mm x 1250mm x 8 boards per pack - 6M ²	£141.00
Q	XP080E 80mm thickness - 600mm x 1250mm x 5 boards per pack - 3.75M ²	£141.00
Q	XP100E 100mm thickness - 600mm x 1250mm x 4 boards per pack 3M ²	£141.00
Q	XP120E 120mm thickness - 600mm x 1250mm x 4 boards per pack -3M ²	£170.00

Properties	Standard	Unit	Hexatherm XPOOL [®]
Thermal Conductivity	BS EN 12667: 2001	W/mk (90/90)	< 75 - 0.034 80-120-0.036 140 - 0.038
Compressive strength	BS EN 826 (10% value) BS EN 826 (2% design value)	KPa KPa	500 180
Long term water absorption by immersion	BS EN 12087	% volume	<0.7%
Water vapour diffusion factor	BS EN 12086	μ	100-200
Capillarity	-	-	None
Density (minimum)	BS EN 1602	kg/m ³	40
Temperature range	-	°C	-50/+75
Edge profile	-	-	Shiplap
Code for sustainable compliant	Pol 1	-	Yes



Typical Thermal Performance
(Calculated in accordance with ISO 13370)



Note: P/A ratio = Exposed perimeter of the floor divided by the area of the floor.



Delivery of XPool insulation is FREE of charge to UK mainland. Call us on 01993 778855 for further information.



X-Pool Insulation is available to order only and is non returnable.

Certikin Wooden Pools

**Bespoke
sizing available.
Call for more
details**

Photographs reproduced with the kind permission of Home Counties



See page
202 for the
Woodstar Pool
Cover



Photographs reproduced with the kind permission of Spruce Pools

Certikin's deluxe above ground Wooden pools come in three sizes, 4.2m x 4.2m, 6m x 4.2m and 4.7m x 2.9m and are made of scandinavian redwood (walls and top) to the highest specification. The pool has no side buttresses, which can be unattractive and takes up valuable space, nor does it require any concreted-in steel supports, making installation far easier.

Packages come complete with steps, Certikin flow fittings, filtration, maintenance kit, cover and a 30thou liner. Patterned liners are available at an extra cost.

Dolphin Sport

The Dolphin Sport pool (4.7m x 2.9m) is ideal for the addition of a counter current swimming machine to provide fun and exercise for all the family. See page 127-133 for more details.



The New Budget Heat Pump is the perfect answer to heating the water in your Certikin wooden pool - see page 170 for more information.

Certikin Wooden Pools

		Price	
H	ESGP44B	4.2m x 4.2m Deluxe above ground wooden pool	£6270.00
H	ESGP4729BNFL	4.7m x 2.9m Dolphin Sport Deluxe above ground wooden pool	£6360.00
H	ESGP64B	6m x 4.2m Deluxe above ground wooden pool	£7240.00
H	ESGPFH	Standard filtration housing - To suit filter & pump (all pools)	£319.00
H	ESGPFHXL	Large filtration housing (all pools)	£375.00
H	SPGPLL	LED underwater light for wooden pool	£198.00

Woodstar Safety Cover - Special Price For Standard Sized Certikin Wooden Pools

		Price	
Q	WALEWS44	Walu Woodstar Safety Cover for ESGP44B	£1560.00
Q	WALEWS4729	Walu Woodstar Safety Cover for ESGP4729BNFL	£1298.00
Q	WALEWS64	Walu Woodstar Safety Cover for ESGP64B	£2014.00

Price based on blue coloured cover only and includes ladder rail cut out. Ladder position must be at centre end to accommodate cover. Other colours are available at full price - see page 218




Extra carriage charge applies to the wooden pools - please contact us for a quotation.




Items that are made to measure, bespoke are non-returnable items.




Pool Sizes



Measurements quoted here are for external dimensions. Full dimensions and drawings are available on request. Please contact the Pools Division on 01993 778855



Liner Options




All our liners are manufactured in the UK at Certikin's purpose-built factory from the finest (30thou) materials using the most sophisticated technology in cutting and welding. Liners are available in the colours shown as standard. Bespoke alternatives are available – please ask for details.

Pool Features

Wooden surround


A single plank wooden deck (300mm wide, 50mm thick) shows quality and adds strength to the top lip of the pool.



Flow & Return Fittings
Our pool boasts a full size Certikin skimmer with inlets and suction fittings to match.



Entry Ladder
Manufactured from 316 grade stainless steel, with a double top tread and added structural support bar to reduce liner wear where it is needed most.



Log-lap Assembly

The Scandinavian redwood walls are professionally notched in-house on our state-of-the-art machinery, to guarantee ease of build and maximise the strength of the construction.



Steel Brackets

The steel plates and foot shoes used in the construction of the Certikin Endless Summer Wooden Pool have been designed to remove the need for extra external bracing found on other timber pools. All this adds up to give one of the strongest free-standing pools on the market.



Exit Ladder

Beautifully crafted to match the rest of the pool, with hardwood treads and soft wood sides.

